


**Jammu and Kashmir Projects Construction Corporation Ltd.**



## **Tender Document**

**Tender Document for:-**

***Fabrication & Launching incl. hoisting and painting with two coats of synthetic enamel paint of approved shade & quality over a priming coat of red-oxide (complete job as per approved drawings) incl. cost of nut, buts, U/Bull dog clamps and carriage from SAIL yard to fabrication yard and then to site of work of 260 mtr. Span Foot Suspension Bridge over River Tawi at Katal Batal (Pehar Devta Ji) Dansal Block Distt. Jammu .***

### **GENERAL INFORMATION.**


Tender Notice No:-	03 of 2010-11dt:-07-03-2011
App. Cost:-	To be quoted.
Cost of tender Document:-	Rs. 2000.00 (Non-refundable)
Earnest money deposit in Shape of CDR/FDR.	2% of the quoted amount.
Time limit for completion.	Six months.
Date for sale of tender document.	09-03-2011 to 25-03-2011
Date of receipt of tender.	28-03-2011 up to 2PM.
Date of opening of tender.	28-03-2011 (or any subsequent date convenient to tender opening authority)

Tender receiving Authority.

**Managing Director,**  
JKPCC Ltd. Jammu.

Issued to M/S. \_\_\_\_\_

Signature of Tenderer.

  
**Dy. General Manager,**  
Unit-IIInd, JKPCC Ltd.  
Jammu.

Office Of The Dy. General Manager Unit 2<sup>nd</sup>.

Office Complex First Floor, Rail Head, Panama Chowk, Jammu.

Tele Nos. 2471440, 2471428, 2471423.



NIT No:- 03 of 2010-11

Dt:- 07-03-2011

**ABBREVIATED TENDER NOTICE**

For and on behalf of the Managing Director, JKPC Ltd., Jammu sealed tenders affixed with rupees five revenue stamps are invited from the approved Fabricators/ Manufacturers for Fabrication & launching of 260 Mtr. Span foot suspension bridge over river Tawi at Katal Batal (Pehar Devta Ji) Dansal Block District Jammu. The tender should reach in the office chamber of Managing Director, JKPC Ltd., Rail Head Panama Chowk, Jammu on or before 28-03-2011 upto 2:00 P.M through **registered post/ speed post/ courier post**. The tenders will be opened on the same date or any other subsequent date as convenient to the Managing Director in presence of tenderers who may like to be present at the time of opening of tenders.

The tender document can be had from the office of Deputy General Manager, JKPC Ltd., Unit 2<sup>nd</sup>, Rail Head Panama Chowk Jammu during office hours against cash payment of Rs. 2000/- (Rupees Two Thousand only) (Non-refundable).

S. No	Particulars	Date of sale of tender	Date of receipt of tender	Approx. Qty.	App. Amount	Earnest money	Period of completion.	Opening authority
1)	Fabrication & launching incl. hoisting and painting with two coats of synthetic enamel paint of approved shade & quality over a priming coat of red-oxide (complete job as per approved drawings) incl. cost of nut, bolts, U/Bull dog clamps and carriage from SAIL Yard to fabrication yard and then to site of work.	09-03-2011 to 25-03-2011	28-03-2011	220 MT	To be quoted	2% of the quoted amount	6 months	Managing Director, JKPC Ltd. Jammu.

**Scope of work:-**


- 1) Manufacturing/ fabrication/ hoisting & launching of structural steel members comprising of steel towers, steel anchorage system for wind guys and anchor blocks,

transom, road bearers incl. chequered plate flooring and steel railing, nut bolts, saddle plates incl. launching & fixing of steel ropes (main ropes, wind guys and suspenders) incl. all carriages from SAIL yard to fabrication yard and then to site of work, lifts, scaffolding and equipments etc. complete in all respects as per approved drawings & specifications.

- 2) Painting two coats of synthetic enamel paint of approved shade and quality over a priming coat of red-oxide (wherever required) incl. cost of all sort of material and scaffolding etc.

**Note:** All details can be seen on our website:- [www.jkpcc.com](http://www.jkpcc.com).

No. 2013-29  
Dated: 07-3-2011



Deputy General Manager,  
JKPCC Ltd., Unit 2<sup>nd</sup>,  
Jammu.

**Copy to:**

- 1) Managing Director, JKPCC Ltd., Jammu for information.
- 2) General Manager, JKPCC Ltd., Jammu for information.
- 3) Financial Controller, JKPCC Ltd., Jammu for information.
- 4) Deputy Director, Information, Press & Public Relations Jammu for information.
- 5-14) All Deputy General Managers, JKPCC Ltd., Unit \_\_\_\_\_ for information.
- 15) Accounts Officer, JKPCC Ltd., Jammu for information.
- 16) Master File.



Office Of The Dy. General Manager Unit 2<sup>nd</sup>.

Office Complex First Floor, Rail Head, Panama Chowk, Jammu.

Tele Nos. 2471440, 2471428, 2471423.



Name of work:- Fabrication & launching of 260 Mtr. Span foot suspension bridge over river Tawi at Katal Batal (Pehar Devta Ji) Dansal Block District Jammu

**TERMS & CONDITIONS:-**

- 1) The tenders should be accompanied with earnest money (**as mentioned in NIT**) in shape of CDR/ FDR pledged to the Financial Controller, JKPCC Ltd., Jammu drawn at any scheduled bank. Tenders not accompanied with CDR/ FDR will be liable for rejection. There shall be no liability on Corporation to pay any interest on FDR/ CDR.
- 2) The tender receiving officer shall be at liberty to accept or reject the tenders without assigning any reason.
- 3) Successful tenderer shall have to draw necessary agreement with the Corporation on the prescribed agreement form within seven days from the date of issuance of allotment order.
- 4) In case of any dispute between the firm and the Corporation the matter shall be subject to arbitration and the Managing Director, JKPCC Ltd. shall be the sole arbitrator who's decision shall be final and binding on both the parties.
- 5) All disputes shall be subject to Jurisdiction of Jammu City courts only.
- 6) Corrections or insertions in the tender form other than rates quoted shall be properly initialed. However, the rate should not have any correction.
- 7) Rates quoted shall be inclusive of all taxes, carriage from SAIL yard to fabrication yard and then to site of work and other incidental charges and nothing extra shall be paid other than the rates quoted by the firm and accepted by JKPCC Ltd.
- 8) In case the successful tenderer/ tenderers fails to fulfill the commitment in full or in the part, the JKPCC Ltd. will make alternative arrangement for the same at the risk & cost of successful tenderer and additional penalty upto 10% shall be imposed as per instructions of Managing Director, JKPCC Ltd.
- 9) The material i.e. nut bolts shall conform to IS 3640 grade 5.8 ( $\geq$  FY250) and u/bull dog clamps of ISI standard shall have to be supplied by the tenderer.
- 10) In case the material to be supplied by the firm is found to be sub-standard, it shall be the responsibility of the firm to remove the same from the site at his cost & risk and nothing shall be paid extra on this account.
- 11) **5% (Five percent)** of gross weight of structural steel consumed shall be allowed as scrap wastage (non-refundable) and cost thereof shall be deducted @50% of the stock issue rates. Any wastage beyond 5% shall be recovered @1.5 times of stock issue rates.

- 12) The tenderer shall have to provide necessary accommodation to the working staff at site at his own cost. The watch and ward of the bridge during execution shall be the sole responsibility of the tenderer.
- 13) Tender documents requested by mail will be dispatched by Registered Post/ Speed Post/ Courier Service on payment of an extra amount of Rs. 300/- (Rupees Three Hundred only). The JKPCC will not be responsible for the postal delay, if any, in the delivery of the documents or non-receipt of the same.
- 14) The rates should be quoted on the Annexure "A" enclosed both in figures and words and should be inclusive of all sorts of taxes as applicable.
- 15) In case of an unscheduled holiday on the prescribed tender sale closing date/ opening date of the tender, the next working day shall be treated as the scheduled prescribed day of the corresponding event.
- 16) Conditional tenders will be rejected without giving any reasons.
- 17) The tender shall be submitted under two cover system as described below:-

The first envelop clearly marked "ENVELOP No. 1" should only include the following:-

  - i) Earnest money deposit as per Annexure in shape of CDR/ FDR pledged in favour of Financial Controller, JKPCC Ltd., Jammu.
  - ii) Latest Sales Tax clearance certificate alongwith Sale Tax Registration No. & TIN No. and PAN No.
  - iii) The tenderer must have satisfactorily completed in last three years at least one similar nature of work for Rs. 20.00 Lacs (Rupees Twenty Lacs) and two similar works for Rs. 30.00 Lacs (Rupees Thirty Lacs only). The requisite certificate should be got from the officer not below the rank of Executive Engineer.

The Second envelop clearly marked "ENVELOP No. 2" should only contain the rate quoted and nothing else. The rates quoted should be in the format specified with the tender documents.

Two sealed envelopes shall be enclosed in a bigger envelop addressed to the Managing Director, J&K Projects Construction Corporation Ltd., Rail Head Panama Chowk Jammu which shall also be closed & sealed properly and subscribed tender for the items to be tendered alongwith NIT No, Date of receipt of opening with tenderers name shown on the bottom left hand corner.
- 18) After scrutiny of the qualification documents/ technical bid, the price offer of the qualified/ eligible tenderers shall be opened on the same date or any other subsequent date as convenient to tender receiving officer.
- 19) The tenders shall remain valid for a period of 90 days from the stipulated date of submission or as per discretion of accepting officer.
- 20) The tenderer should sign all the pages and tender documents before submission of the tender.
- 21) The quantities shown are approximate and may vary +/- 15%.
- 22) **Five percent** of each payment shall be retained as normal deposit and shall be released on completion of the work by the successful tenderer and income tax as applicable shall be deducted under rules.
- 23) **One percent cess** shall be deducted from running bills as per labour laws.

- 24) Scaffolding/ staging (complete in all respects) & equipments required during launching period shall have to be arranged by the tenderer himself. And nothing shall be paid extra on this account.
- 25) The tender issuing authority reserves the right to refuse to issue tender document to any supplier/ firm if not satisfied with their proof of eligibility without assigning any reason thereof.
- 26) The tender received after fixed date and time shall neither be opened nor considered at all. The date and time of receipt of such tenders would be marked on the envelope of tender receiving authority of this office representative. The disposal of the tender document will either be returned to the supplier/ firm casting the tender and earnest money released, but this will be done only after the concerned gives an undertaking for any of these two clauses clearly mentioning that he would have no claim what-so-ever over this contract. In case the tenderer does not come forward with the undertaking the envelope will remain in safe custody till its final disposal. However, this will not bar the department to process further in the matter to open other bids/ allot the contract and take up the supply.
- 27) Tenderers shall not be entitled to any claim what-so-ever on account of expenses incurred on submission of tender.
- 28) The Tenderers shall also be personally liable for the civil and criminal prosecution under the law if the specification of the fabricated material used is found in contravention to the specification prescribed during execution of the work even after the completion and finalization of contract i.e. at any time.
- 29) The tenderer will insure men and machinery against all sorts of risks in the job and will be solely responsible for any mishap. JKPCCL in no case shall be responsible on this account.
- 30) The department is not responsible for electric supply. The firm at his own level shall arrange electric generator set/ electric connection from PDD for smooth running of work.
- 31) The allottee shall furnish the performance guarantee/ bank guarantee to the tune of **Rs. 20.00 Lacs** (Rupees Twenty Lacs only) as security deposit for successful and timely execution of work, which shall be pledged to Financial Controller, JKPCCL Ltd.

No:- 2013-29  
Dt:- 07-03-2011

  
Manager

  
Deputy General Manager,  
JKPCCL Ltd., Unit 2<sup>nd</sup>,  
Jammu.

Copy to:


- 1) Managing Director, JKPCCL Ltd., Jammu for information.
- 2) General Manager, JKPCCL Ltd., Jammu for information.
- 3) Financial Controller, JKPCCL Ltd., Jammu for information.
- 4) Deputy Director, Information, Press & Public Relations Jammu for information.
- 5-14) All Deputy General Managers, JKPCCL Ltd., Unit \_\_\_\_\_ for information.
- 15) Accounts Officer, JKPCCL Ltd., Jammu for information.
- 16) Master File.

**BILL OF QUANTITIES FOR FABRICATION AND LAUNCHING OF 260 MTR.  
SPAN FOOT SUSPENSION BRIDGE OVER RIVER TAWI AT KATAL BATAL  
(PEHAR DEVTA JI) DANSAL BLOCK DISTRICT JAMMU**

<b>S.No</b>	<b>Particular</b>	<b>Unit</b>	<b>App. Quantity</b>
1)	Steel members comprising of steel towers, steel anchorage system of wind blocks, stiffing trusses transoms including chequered plate and steel decking railing, nut, bolts etc. saddle plates as per enclosed approved drawings/ specifications incl. all leads and lifts.	MT	218.55
2)	Saddle block bearing having M.S. bed plate to rest C.I. block in 5 pieces having grooves for 48mm dia rope in 5 pieces on its bottom of C.I. Block one MS Plate shall be provided with edge plate resting on MS Roller having angle frame (ISA 100x100x100x8mm) will be used as stopper angle. The saddle bearing shall be strictly as per approved drawing/ design.	No.	4
3)	Wind guy main rope 40mm dia of grade 1570 KM of table 3 of IS 9292:2002.	Mtr.	1200
4)	Bull dog clamps with MS forged grip as per IS specification;		
a)	48mm dia	No.	160
b)	40mm dia	No.	64
c)	12mm dia	No.	1104
5)	G.I. thimble to be used for 12mm dia suspenders rope as per ISI specification.	No.	425
6)	Spacer plates having grooves as per drawings for 48mm dia steel wire rope.	No.	162
7)	Spacer hook to be used for fixing of transom.	No.	162
8)	Painting two coats of synthetic enamel paint of approved shade and quality over a priming coat of red oxide (wherever required) incl. cost of all sort of material and scaffolding.	Sqm.	3000
9)	Nut, bolts of IS:3640 grade 5.8 ( $\geq$ FY250)		
a)	12mm dia	No.	5120
b)	16 mm dia	No.	13604
c)	25 mm dia	No.	144
d)	32 mm dia	No.	64

S.No	Particular	Unit	App. Quantity
10 a)	Main Cable Size : 48mm Construction : 7 x 37 prestretched Lay : RHO Coating : Fully Galvanized Tensile : 1570 N/MM <sup>2</sup> IS : IS 9282/2002	Mtr.	10 x 430 (Length)
b)	Wind Cable Size : 40mm Construction : 7 x 37 prestretched Lay : RHO Coating : Fully Galvanized Tensile : 1570 N/MM <sup>2</sup> IS : IS 9282/2002	Mtr.	4 x 350 (Length)
c)	Main & wind suspenders Size : 12 mm Construction : 7 x 37 prestretched Lay : RHO Coating : Fully Galvanized Tensile : 1570 N/MM <sup>2</sup> IS : IS 9282/2002	Mtr.	1 x 2370 1 x 630 (Length)

Encl:- ~~Five~~ drawings

  
 Deputy General Manager,  
 JKPCC Ltd., Unit 2nd,  
 Jammu.